WEBER UK LIMITED

2 STAGE AIR HYDRAULIC AIRCRAFT JACK - 25-2AP

25 TONNE CAPACITY 2 STAGE AIR HYDRAULIC AIRCRAFT JACK.

Item number: 705f21728346



DESCRIPTION

25 / 10 Tonne Air Hydraulic Aircraft Jack

- Compact and slim design for easy operation and manoeuvrability.
- Ergonomic handle with push buttons.
- The jack can be operated by either compressed-air, nitrogen from the aircraft wheels or a mobile nitrogen service cart.
- Fitted 80mm with extension screw for optimum use of the stroke.
- Rapid ram retraction without load.
- Safety features include manual lowering valve, safety overload valve and dead man's release.
- Designed and manufactured according to the aircraft standards: EN 1915-1, EN 1915-2 and EN 12312-19.

For MLG - Main Landing Gear:

Bombardier
CRJ900

Embraer
EMB170-195

For NLG - Nose Landing Gear:

Airbus
A320

Boeing
B737-100/ -200/ -300/ -400/ -500

B737-600 thru -900

Bombardier
CRJ900

Embraer
EMB170-195

SPECIFICATIONS

Minimum Height (mm):	180
Weight (kg):	56
Frame Length (mm):	765
Handle Length (mm):	1160
Width (mm):	160
Capacity (kg) First Stage:	25,000
Max Height (mm) First Stage:	260
Max Height (mm) Second Stage:	364
Width with Wheels (mm):	310
Air Supply:	9-10
Air Consumption (l/min):	350
Type:	25-2AP

ACCESSORIES: 705F21728346

65 Tonne Capacity Single Stage Air Hydraulic Aircraft Jack

Item number: 74db120f0a8e



65 Tonne Capacity Single Stage, High Lift Air Hydraulic Aircraft Jack

Item number: 57aeee35c982



500Kg Capacity Hydraulic Wheel Trolley for use on Aircrafts

Item number: d1c38a09acc3



250Kg Capacity Crane Arm. Optional Accessory for WTA500 & WTA500AP Wheel Dollies

Item number: 854d6fae5ee4

