

25 TONNE VERSATILE TWIN RAM AIR HYDRAULIC TROLLEY JACK - AH25-2

25 TONNE TWIN RAM VERSATILE AIR HYDRAULIC TROLLEY JACK FOR BUSES AND TRUCKS

Item number: 72b32a1f754b



DESCRIPTION

25/10 Tonne Versatile Twin Ram Air Hydraulic Trolley Jack

- Minimum height of 180mm
- Designed for heavy-duty, intensive commercial use.
- Hard chromium plated piston rod for long life.
- Built-in safety overload valve.
- Hand-operated dead-man's control for optimum safety whilst lifting and lowering.
- Ergonomic Handle with push buttons.
- Supplied with 2 extensions as standard (50/100mm)

SPECIFICATIONS

Minimum Height (mm):	180
Weight (kg):	60
Frame Length (mm):	770
Handle Length (mm):	1160
Width (mm):	160
Capacity (kg) First Stage:	25,000
Capacity (kg) Second Stage:	10,000
Max Height (mm) First Stage:	275
Max Height (mm) Second Stage:	380
Width with Wheels (mm):	305
Air Supply:	8 - 10 Bar
Air Consumption (l/min):	350
Type:	AH25-2

ACCESSORIES: 72B32A1F754B

145mm Dished Saddle
suitable for lifting over drain
plugs and differential gears

Item number: 37a749d808e4



250mm Extension Piece

Item number: fc490ca45c00



**V Saddle for lifting under
various axles**

Item number: b3e3e393c77e

