

25 TONNE PORTABLE TWIN RAM AIR HYDRAULIC TROLLEY JACK - B25-2

25 TONNE PORTABLE TWIN RAM AIR HYDRAULIC TROLLEY JACK WITH A FOLDING HANDLE

Item number: a684ecccc76f



DESCRIPTION

25/10 Tonnes Twin Ram Folding Handle

- Low minimum height of 162mm and low weight of only 27kg
- Handy design - no loose tubes, handles or valves.
- Easy to operate - handle can be used for carrying, lifting, lowering and manoeuvring.
- Hard chromium plated piston rod for long life.
- Built-in safety overload valve.
- Hand-operated dead-man's control for optimum safety whilst lifting and lowering.
- Transit locking device/Wall Bracket (SBB-4487000) for both van and workshop.
- Comes with 2 extensions (50 & 100mm) as standard.

SPECIFICATIONS

Minimum Height (mm):	160
Weight (kg):	28
Frame Length (mm):	535
Handle Length (mm):	550
Width (mm):	225
Capacity (kg) First Stage:	25,000
Capacity (kg) Second Stage:	10,000
Max Height (mm) First Stage:	235
Max Height (mm) Second Stage:	320
Width with Wheels (mm):	290
Air Supply:	8 - 10 Bar
Air Consumption (l/min):	350
Type:	B25-2

ACCESSORIES: A684ECEEE76F

**145mm Dished Saddle
suitable for lifting over drain
plugs and differential gears**

Item number: 37a749d808e4




250mm Extension Piece

Item number: fc490ca45c00



**Transit Locking Device for
B25-2**

Item number: ea5d2f1c4608



**V Saddle for lifting under
various axles**

Item number: b3e3e393c77e

