

3.2 TONNE AIR/HYDRAULIC JACKING BEAM - SD32PHL

3.2 TONNES AIR HYDRAULIC JACKING BEAM

Item number: 0f28b5d49b30



DESCRIPTION

3.2 Tonnes Air Hydraulic Jacking Beam for Passenger Cars, Vans and Trucks

- Strong and robust design makes it ideal for lifting heavy vehicles.
- Low closed height of only 230mm.
- Flexible top support beam can be extended up to 1610mm.
- Unique height adjustable support arm system - designed to fit all current lift and pits (on completion of lift specification form).
- Two-handed lowering operation with dead man's release, automatic safety locking device and overload valve for optimum safety.
- Supplied with 3 extension sets (10/40/85mm) and rubber cushion.

SPECIFICATIONS

Capacity (kg):	3,200
Minimum Height (mm):	230
Air Consumption (l/min):	350
Stroke (mm):	250
Telescopic Arm (mm):	780 - 1610
Width [Without Support Arms] (mm):	780 - 1220
Lifting Frame Height (mm):	160
Lifting Frame Depth (mm):	345
Air Supply (Bar):	8 - 10
Weight No Support Arms (kg):	175
Type:	SD32PHL

ACCESSORIES: 0F28B5D49B30

130mm Metal Extension Piece for SD Jacking Beams

Item number: 0a09c8844ba8



40mm High Rubber Support Block for the protection of the car body.

Item number: 2b24d495052a



80mm High Rubber Support Block for protection of the the car body.

Item number: a5e00132373a



Adjustable Saddle which increases the lifting height by 32-92mm for SD Jacking Beams

Item number: 47d1e990583c



**Airline Connection Set for
jacking beam**

Item number: 903ce9225fca



**For the FSD6 which increases
the lifting height by 60mm**

Item number: f2217062e9a3



**Rubber cushion to be used
with the S-Saddle for
protection of car body**

Item number: 43ec517d68b6



**Rubber Saddle For 10mm
Extension**

Item number: a8f15eda80c5

